	Technical Data Sheet				
Use in	 Pharmaceutical Industry For industrial, laboratory & research applications only 				
Use for	 Detection of aerobic and anaerobic micro-organisms Contact sampling, personnel monitoring, as well as active air monitoring Isolation and growth of fastidious bacteria, yeasts and moulds 				
Typical composition per liter	Casein peptone 15 g Soy peptone 5 g NaCl 5 g Agar 15 g This medium can be adjusted / or supplemented according to the performance criteria required.				
Irradiation	Not Gamma-irradiated				
Filling volume	• 28-32 mL				
Packaging	 Single bagged, staples of 10 plates Transparent High barrier foil against desiccation 6 staples of 10 plates per packaging unit Temperature isolated handle-bag in the cardboard-boxes 				
Units per pack	60 plates				
Shelf life	9 months from production date				
Storage	 Recommended storage temperature: 15-25 °C Should be stored at temperatures as stable as possible 				
Label	On the side, at the bottom				
Label information	 Product name: TSA Expiry date: YYYYMMMDD → MMM in letters (e.g.: 2023Nov04) Lot-number Individual number Barcode 				
Barcode	 2-dimensional (data matrix), 20 digits: Digits 1-3: ArtNo. Digits 4-9: Lot-Number Digits 10-14: Individual-Number Digits 15-20: Date (YYMMDD) 				
Delivery	 Temperature controlled delivery on request For shipments of larger amounts plastic pallets in Euro-size are used 				





www.pmm-leimen.de

	Technical Data Sheet			
Petri dish	 Locking lid 90 mm plate Long incubations possible – due to high filling volume Long expositions possible – due to specific design of plate Incubations in vent and closed position possible 			
Lid positions	 All plates are delivered in the non-locked position The plate contains 2 locked positions. If turning the lid clockwise the locked positions are in the following order: Vent position Closed position For long incubation of aerobic microorganisms, the closed position is recommended 			
Aerobic incubation (Closed Position)	 Turn the lid clockwise to the right to the end into the final stop position The lid locks in the closed position Ideal incubation condition for aerobic micro-organisms Limits the dehydration of the agar during incubation 			
Anaerobic incubation (Vent Position)	 The vent position is ideal for anaerobic incubations, as it allows an easy and effective removal of oxygen under anaerobic incubation conditions Incubate in anaerobic incubator, anaerobic jar or suitable equipment 1. First option: Turn the lid clockwise to the right to the end into the final stop position Turn the lid one click counter-clock-wise to the vent position 2. Second option: Turn the lid clockwise directly into the first locked position 			
Place of production	PharmaMedia Dr. Müller GmbH Gustav-Throm-Str. 1, 69181 Leimen - Germany			



Technical Data Sheet 410.0060-02-2103

www.pmm-leimen.de

	Quality control, Certificates					
	Each lot of product can be obtained with a certificate of analysis (CoA):					
	Physico-chemical test parameters:					
	Appearance					
	pH value	7,1 – 7,5				
Certificates	Filling volume	28 – 32 mL				
	Growth Promotion test: 10-100 CFU					
Certificales	S. aureus	ATCC 6538	30-35 °C	1 day	50-200%	
	E. coli	ATCC 8739	30-35 °C	1 day	50-200%	
	P. aeruginosa	ATCC 9027	30-35 °C	1 day	50-200%	
	B. subtilis	ATCC 6633	30-35 °C	1 day	50-200%	
	C. albicans	ATCC 10231	30-35 °C	3-5 days	50-200%	
	A. brasiliensis	ATCC 16404	30-35 °C	3-5 days	50-200%	
	Sterility contro	I			No growth	
Certificate of origin	 All media lots produced by PMM can be obtained with a Certificate of Origin (CoO). All animal derived raw materials are specified as follows: Raw material Tissue Animal source Country of origin Infectivity category (acc. to TSE guideline: EMA/410/01 rev. 3) 					
BSE policy	 In compliance with the current note for guidance on minimizing the risk of transmitting animal spongiform encephalopathy via human or veterinary medicinal products, we check the CoO of raw material in respect to the specified animal source, the country of origin and the infectivity category. We neither store or process ruminant raw materials obtained from high infectivity tissues (IA) nor ruminant raw materials whose animal source originates from countries or regions with an undetermined risk (cat C/GBR IV). 					
Temperature stress	days at 2-8 °C testing at least		s at 30-35 °C e assigned e	C) and has p xpiry date. S	bassed shelf-life	



Technical Data Sheet 410.0060-02-2103

	Safety Data
Toxic ingredients	None
Basic composition	See typical composition
Solvent content	None
Safety data sheet required	Not mandatorily required



www.pmm-leimen.de

Technical Data Sheet 410.0060-02-2103